BEST AVAILABLE COPY





Please let us know if your SunSolve visit saved you a call to Sun Support! —Select Option Below— Submit

# Sun Fire[tm] 6800 Server




Front View


Front Open View


Rear View

1 2

## Information Areas

- Hardware Specifications
- System Views and Components
- Full Components List

- SRDBs
- InfoDocs
- Sun Alerts (Resolved by Patches)

- Related Documentation

## Quick Facts

| | |
|---|---|
| **Code Name** | Serengeti 24, SF6800, or DC |
| **Product Code** | F6800 |
| **Serial Number Location** | Rear, left of patch panel. |
| **Rack Units** | 28 |
| **FCS Date** | April 16, 2001 |
| **Minimum Supported Solaris[tm] Operating Environment Versions** | 8 - 4/01*<br>8 - 10/01**<br>8 - 2/04***<br>9<br>9 - 4/04***<br>10 |

| | |
|---|---|
| **Flash PROM Patch** | **5.18.x** - 114525 **5.17.x** - 114524 **5.16.x** - 114523 **5.15.x** - 112884 |
| **Warranty** | Hardware: 1 year<br>Software: 90 days |

* - Solaris 8 - 4/01 is minimum OS for 750MHz modules.
** - Solaris 8 - 10/01 is minimum OS for 900MHz, 1050MHz, & 1.2GHz modules.
*** - Minimum revisions for US IV CPUs, also requires OBP 5.16.0 or higher.
**Note:** Solaris 8 2/02 is the minimum OS for Dynamic Reconfiguration (DR)

**ATTENTION:** THE SUN SYSTEM HANDBOOK AND THE MATERIALS CONTAINED THEREIN, IN ELECTRONIC OR HARDCOPY FORM, ARE SUBJECT TO THE FOLLOWING TERMS AND TO THE TERMS OF USE APPEARING ON SUN.COM. These materials are not for resale, in whole or in part. This product is protected by copyright. No part of these materials may be reproduced in any form by any means without prior authorization of Sun and its licensors, if any. DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.



(2)






Repeater Boards (RP#)
2 3 0 1
LEDs
IB9
IB8
PCI / cPCI I/O Assemblies (IB#)
PCI / cPCI I/O Assemblies (IB#)
IB7
IB6
FT0
Fan Trays
LEDs
FT2
Patch Panel
AC Input

(9)



Status: Not Logged In
Login Register

Please let us know if your SunSolve visit saved you a call to Sun Support!
—Select Option Below— Submit

COMMUNICATION

› Patches
› Support Documents
› Security Information
› System Handbook
- Systems
- Components
- General Info
- Handbook FAQ
› SupportForum
› Advanced Search

SunSolve Related:
- SunSolve WorldWide
- About SunSolve
- Feedback
- Site Map
- Features/etc.
- Help

Search Handbook:
»
Handbook Search Tips
Handbook Feedback
Print-Friendly Page

# Patch Panel

| Servers: | Sun Fire 6800 |
|---|---|

| 540-3996 | 501-5257 |
|---|---|
| FRU Assembly w/ 2 × 501-5257 | Patch Panel Board |




## Notes

1. The Sun Fire System Controller abbreviation is SSC.
2. Chassis labels include the abbreviated name and number.

## References

1. *Sun Fire Systems Service Manual*, 805-7363.
2. *Sun Fire 6800 System Installation Guide*, 805-7375.

**ATTENTION:** THE SUN SYSTEM HANDBOOK AND THE MATERIALS CONTAINED THEREIN, IN ELEC HARDCOPY FORM, ARE SUBJECT TO THE FOLLOWING TERMS AND TO THE TERMS OF USE APF SUN.COM. These materials are not for resale, in whole or in part. This product is protected by copyright. No materials may be reproduced in any form by any means without prior authorization of Sun and its licei

7

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENT/
WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A F
PURPOSE OR NON-INFRINGEMENT ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCL/
HELD TO BE LEGALLY INVALID.

Company Info | Contact | Terms of Use | Privacy | Version 5.10.0 Copyright 1994 - 2005 Sun Microsystems

**This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record**

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

**IMAGES ARE BEST AVAILABLE COPY.**
**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**